ELSEVIER

Journal of Non-Crystalline Solids 232–234 (1998) ix–xiv

JOURNAL OF NON-CRYSTALLINE SOLIDS

Contents

Preface vii
Contents ix

Introductory lecture

Several remarks on the medium-range order in glasses
L. Červinka 1

Section in honour of Professor E.A. Porai-Koshits

Evgenii Porai-Koshits
V.A. Solovyev 18
Medium-range order in a simple monatomic liquid
M. Dzugutov, B. Sadigh and S.R. Elliott 20

Section 1. Short range structure

Synchrotron radiation in the study of amorphous materials
S. Mobilio and C. Meneghini 25
The structure of vitreous V_2O_5–TeO_2
R.N. Sinclair, A.C. Wright, B. Bachra, Y.B. Dimitriev, V.V. Dimitrov and M.G. Arnaudov. 38
A neutron and X-ray diffraction study of the structure of the LaP_3O_9 glass
U. Hoppe, R. Kranold, D. Stachel, A. Barz and A.C. Hannon 44
Neutron diffraction analysis of the atomic short range order in lead gallate glasses
A.C. Hannon, J.M. Parker and B. Vessal 51
Evolution of the Peierls distortion in liquid As_xSb_{1-x} compounds
J.Y. Raty, J.P. Gaspard, R. Céolin and R. Bellissent 59
XPS and NEXAFS studies of rare-earth doped amorphous sol–gel films
R.M. Almeida, H.C. Vasconcelos, M.C. Gončalves and L.F. Santos. 65
An EXAFS study of silica–titania sol–gels
R. Anderson, G. Mountjoy, M.E. Smith and R.J. Newport 72
A nanometer scale mechanism for the reversible photostructural change in amorphous chalcogenides
A.V. Kolobov, H. Oyanagi, A. Roy and K. Tanaka 80
Al coordination in sol–gel and conventional calcium aluminate glasses
L. Kerns, M.C. Weinberg, S. Myers and R. Assink 86
Extended X-ray absorption fine structure study on liquid selenium under pressure
Y. Katayama, K. Tsuji, H. Oyanagi and O. Shimomura 93

Section 2. Medium range structure

Multi-site effect in the IR spectra of various inorganic glasses: experimental evidence and structural reasons
A.M. Efimov 99

Intermediate-range order in simple metal-phosphate glasses: The effect of metal cations on the phosphate-anion distribution
B.C. Sales, L.A. Boatner and J.O. Ramey 107
Novel opportunities for studying the short and medium range order of glasses by MAS NMR, ^{29}Si double quantum NMR and IR spectroscopies
K. Glock, O. Hirsch, P. Rehak, B. Thomas and C. Jäger. 113

Section 3. Structural inhomogeneity and phase separation

Numerical investigation of frustration in glassy systems
R. Jullien, P. Jund, D. Caprion and J.-F. Sadoc 119
Phase separation in multicomponent amorphous alloys
C. Antonione, S. Spriano, P. Rizzi, M. Baricco and L. Battezzati. 127
The use of electrochemical hydrogen permeation techniques to detect hydride phase separation in amorphous metallic alloys
D.S. dos Santos and P.E.V. de Miranda. 133
Early stages of crystallisation of lithium disilicate glasses containing P_2O_5 – An NMR study
D. Holland, Y. Iqbal, P. James and B. Lee. 140
The microstructure of borosilicate glasses containing elongated and oriented phase-separated crystalline particles
S. Polizzi, P. Riello, G. Fagherazzi and N.F. Borrelli 147
An X-ray and neutron scattering investigation of precursor derived $Si_{24}C_{43}N_{33}$ ceramics
J. Dürr, P. Lamparter, J. Bill, S. Steeb and F. Aldinger. 155
Formation of ultrafine particles of copper and copper sulfide in silica films and glasses prepared by sol–gel technique
V.S. Gurin, V.B. Prokopenko, I.M. Melnichenko, E.N. Poddenezhny, A.A. Alexeenko and K.V. Yumashev 162

Section 4. Structure of nanomaterials

Structure of Fe–Cr–N nanocrystalline films with the perpendicular magnetic anisotropy
D.L. Peng, T.J. Konno, K. Sumiyama and K. Suzuki 169
Raman study of nanosized titania prepared by sol–gel route
D. Bersani, G. Antonioli, P.P. Lottici and T. Lopez 175
Structure of nanometersized silicon particles prepared by various gas phase processes
H. Hofmeister, P. Ködderitzsch and J. Dutta 182

Section 5. Theory and modelling

The effect of glass structure on transport properties from atomistic computer simulations
A.N. Cormack 188
Ab initio studies of local order and electronic properties in molten Zintl-alloys: K–Sb as a case study
K. Seifert-Lorenz and J. Hafner. 198
Nature of the low-frequency vibrational excitations in vitreous silica
S.N. Taraskin and S.R. Elliott 205
Temperature dependence of diffusion and structural defects in a molecular-dynamics model of amorphous $Ni_{81}B_{19}$
L.D. van Ee, B.J. Thijsse and J. Sietsma. 212
Vitrification processes under energetic ion bombardment
P.M. Ossi 219
Reverse Monte Carlo modelling of Eu and Tb metaphosphate glasses
G. Mountjoy, R. Anderson, D.T. Bowron and R.J. Newport. 227
Simple physical generation of aperiodic structures
C. Janot and J. Patera 234

Section 6. Structural aspects in dynamic and relaxation studies

Structural evolution of a $Cu_{1-x}Co_x$ alloy during thermal heating studied by acoustic spectroscopy
E. Bonetti, L. Pasquini, E. Sampaolesi and L. Savini 239
Molecular dynamics investigations of silver diffusion in glass
D. Timpel and K. Scheerschmidt 245
Collective atomic dynamics of liquids with partially covalent binding forces
G. Pratesi and J.-B. Suck 252

Section 7. Interrelationship between structure and properties

High-pressure phenomena in glasses: The role of soft atomic configurations
M. Klinger. 257
Microstructure of $AgI–Ag_2O–B_2O_3$ fast ion conducting glasses with large amounts of AgI
M. Tatsumisago, N. Itakura and T. Minami. 267
Topological transition and rigidity percolation in Ge–Se(S)–Cd glasses
Z.G. Ivanova, V.S. Vassilev, S.V. Boycheva and N. Kirov. 274
Hierarchy of dynamic structure of super-ionic conducting glass $CuI–Cu_2MoO_4$
K. Suzuki, K. Shibata, T. Tsurui and J. Kawamura 278

Posters

An EXAFS study of rare-earth phosphate glasses in the vicinity of the metaphosphate composition
R. Anderson, T. Brennan, G. Mountjoy, R.J. Newport and G.A. Saunders. 286
Coordination changes in telluro-vanadate glasses containing ZnO or CdO
D. Bersani, G. Antonioli, P.P. Lottici, Y. Dimitriev, V. Dimitrov and P. Kobourova. 293
The structure of tin silicate glasses
J.F. Bent, A.C. Hannon, D. Holland and M.M.A. Karim 300
Structural and dynamic properties of liquid sulfur around the λ-transition
C. Biermann, R. Winter, C. Benmore and P.A. Egelstaff 309
EXAFS studies of Cu^+ ion conducting and semiconducting copper chalcogenide and chalcohalide glasses
E. Bychkov, A. Bolotov, P. Armand and A. Ibanez. 314
Gamma ray induced 11.8 mT ESR doublet in natural silica
S. Agnello, R. Boscaino, M. Cannas and F.M. Gelardi 323
A ^{29}Si MAS and ^{1}H NMR investigation of $Fe_2O_3–SiO_2$ nanocomposites
M. Casu, F.C. Marincola, A. Lai, A. Musinu and G. Piccaluga 329
X-ray analysis of the structure of Ge–S–Ag glasses
L. Červinka, L. Tichý and J. Bergerová 335
Mössbauer investigation of rare earth sites in europium containing glasses
G. Concas, F. Congiu, G. Spano, A. Speghini and K. Gatterer 341
Crystallization behaviour of FeSiB–XNb (X = Pd, Pt) alloys
C.F. Conde, M. Millán and A. Conde 346
X-ray absorption studies of a FINEMET alloy
J.M. Borrego, C.F. Conde, A. Conde, A.V. Chadwick and G. Morrison. 352
Ni-silica and Cu-silica nanocomposites prepared by ball milling
A. Corrias, G. Paschina and P. Sirigu 358
The local atomic order and the valence state of Cu in Cu-implanted soda-lime glasses
F. D'Acapito, S. Mobilio, J.R. Regnard, E. Cattaruzza, F. Gonella and P. Mazzoldi. 364
X-ray absorption spectroscopy on light emitting porous silicon by XEOL and TEY
G. Dalba, N. Daldosso, P. Fornasini, R. Graziola, R. Grisenti and F. Rocca 370
Study of interchain structural correlations in glassy polymers by X-ray diffraction
J.J.D. Val and J. Colmenero 377
Some kinetic features of mechanical alloying transformation processes
F. Delogu, M. Monagheddu, G. Mulas, L. Schiffini and G. Cocco. 383

On the parameters of the Dixon–Nagel scaling procedure
M. Paluch, Z. Dendzik and Z. Gburski 390
Short-range order in undercooled liquid metals
G. Jacobs, I. Egry, D. Holland-Moritz and D. Platzek 396
^{29}Si and ^{207}Pb NMR study of local order in lead silicate glasses
F. Fayon, C. Bessada, D. Massiot, I. Farnan and J.P. Coutures 403
Crystallization and properties of sol–gel derived $10Fe_2O_3$–$10Al_2O_3$–$80SiO_2$ glass-ceramics
M.G. Ferreira da Silva and M.A. Valente 409
Structural change of graphite subjected to mechanical milling
T. Fukunaga, K. Nagano, U. Mizutani, H. Wakayama and Y. Fukushima 416
Structural modifications induced in wurtzite-CdSe by high energy milling
A.G. Lehmann, M. Bionducci and F. Buffa 421
Short-range and medium-range order in solid and molten metaphosphate glasses
G. Herms, J. Sakowski, W. Gerike, U. Hoppe and D. Stachel 427
Amorphous MoS_3: clusters or chains? The structural evidence
S.J. Hibble, R.I. Walton, D.M. Pickup and A.C. Hannon 434
Does six-coordinate germanium exist in Na_2O–GeO_2 glasses? Oxygen-17 nuclear magnetic resonance measurements
R. Hussin, D. Holland and R. Dupree 440
Positron annihilation and diffraction studies of the photopolymers based on the acrylate oligomers
M. Hyla, J. Filipecki, Z. Mandecki and R.I. Mervinskii 446
Structural changes of annealed metallic glass $Co_{78}Si_9B_{13}$
E. Jakubczyk, Z. Mandecki and M. Jakubczyk 453
Influence of the quenching rate and the aging time on the vibrational spectrum of a model glass
D. Caprion, P. Jund, J.-P. Bonnet and R. Jullien 459
The structure of amorphous Se–S prepared by mechanical alloying
T. Fukunaga, S. Kajikawa, Y. Hokari and U. Mizutani 465
Structural study of liquid Te–I mixtures
F. Kakinuma, T. Fukunaga and K. Suzuki 470
A SAXS study of the ceramization process of Si–C organic precursor
T. Kamiyama and K. Suzuki 476
Structure of liquid In–Te mixtures
Y. Kawakita, R. Matsubara, H. Nakashima and S. Takeda 483
Effect of metalloid substitution on the reversible structural relaxation of Fe–Ni–B(-P, Si) metallic glasses
A. Böhönyey, G. Huhn, L.F. Kiss, A. Lovas and I. Gerőcs 490
Electronic states of Ag ions in AgI-based superionic conducting glasses
Y. Kowada, H. Adachi, M. Tatsumisago and T. Minami 497
The intermediate range order of metaphosphate glasses by X-ray diffraction
R. Kranold, G. Walter, U. Lembke, Th. Rieker and D. Stachel 502
Electron paramagnetic resonance and optical absorption spectra of Cu^{2+} ions in alkali barium chlorophosphate glasses
R.M. Krishna, J.-J. André, R.P. Pant and V.P. Seth 509
Local dynamic properties of vitreous silica probed by photoluminescence spectroscopy in the temperature range 300–4.5 K
M. Leone, M. Cannas and F.M. Gelardi 514
EXAFS studies of amorphous $Fe_{50}Ta_{50}$ powders during mechanical alloying
C.K. Lin, P.Y. Lee, J.L. Yang, C.Y. Tung, N.F. Cheng and Y.K. Hwu 520
Structural changes of GeGaS bulk glasses induced by UV exposure
P. Loeffler, T. Schwarz, H. Sautter and D. Lezal 526
Ion dynamics and devitrification in $0.75AgI$–$0.25Ag_2MoO_4$ fast ion conducting glass: an XRD, DSC and ^{109}Ag NMR study
P. Mustarelli, C. Tomasi, A. Magistris and M. Cutroni 532

Theory of vibrational excitations in metallic glasses
V.M. Manichev and E.A. Gusev 539
Structure of natural water-containing glasses from Lipari (Italy) and Eastern Rhodopes (Bulgaria): SAXS, WAXS and IR studies
G. Deganello, L. Liotta, A. Longo, A. Martorana, Y. Yanev and N. Zotov 547
Structural changes during photo-induced and thermal crystallization processes in evaporated amorphous $GeSe_2$ films by Raman scattering
O. Matsuda, H. Takeuchi, Y. Wang, K. Inoue and K. Murase. 554
Computer simulation of Ag–In liquid alloys structure and self-diffusion coefficient calculations
M.I. Mendelev 560
Local structure and glass transition temperature in binary glasses
M. Micoulaut 567
Network structure of borate and germanate glasses studied by means of pulsed neutron scattering
T. Sato, M. Misawa, O. Yamashita, K. Yoshida, H. Ebata, K. Maruyama and H. Iyetomi 574
Extended X-ray absorption fine structure measurements of the local environment of Pr^{3+} ions in silica xerogels and zinc borate glasses
F. Rocca, G. Dalba, R. Grisenti, M. Bettinelli, F. Monti and A. Kuzmin 581
Sol–gel preparation and characterization of Ni–SiO_2 nanocomposites
G. Ennas, A. Mei, A. Musinu, G. Piccaluga, G. Pinna and S. Solinas. 587
A positron annihilation study of the evolution of amorphization in Nb_3Sn by mechanical milling
T. Nasu, Y.S. Cho, R.A. Naslund, P.L. Jones and A.L. Greer 594
Modelling of growth and agglomeration processes leading to various non-crystalline materials
G.G. Naumis 600
A structural study of Sr metaphosphate glass by anomalous X-ray scattering and EXAFS spectroscopy
A. Balerna, M. Bionducci, A. Falqui, G. Licheri, C. Meneghini, G. Navarra and M. Bettinelli 607
Observation of collective excitations in the amorphous alloy $Ni_{67}Zr_{33}$
T. Otomo, M. Arai, Y. Inamura, J.-B. Suck, S.M. Bennington and K. Suzuki. 613
Modeling of medium-range order in glasses
T. Pakula and L. Červinka 619
X-ray analysis of the structure of Ag-tetraborate glasses $(AgI)_x\ (Ag_2O \cdot 4B_2O_3)_{1-x}$
L. Červinka, J. Bergerová, A. Dalmaso and F. Rocca 627
An EXAFS investigation of the local order around indium in Ge–Se–In glasses
J. Ledru, J.M. Saiter, G. Saffarini and S. Benazeth 634
Short and medium range order in zinc halide based glasses
L.F. Santos and R.M. Almeida 638
^{197}Au Mössbauer study of gold particles obtained by evaporation of metallic gold on Mylar
L. Stievano, S. Santucci, L. Lozzi, S. Calogero and F.E. Wagner 644
Structure of vitreous P_2O_5 and alkali phosphate glasses
K. Suzuya, D.L. Price, C.-K. Loong and S.W. Martin. 650
Intermediate-range structure and conductivity of fast ion-conducting borate glasses
J. Swenson and L. Börjesson 658
Amorphous and nanocrystalline $Fe_{85}Zr_7B_6Cu_2$ alloys
Y. Swilem, E. Sobczak, R. Nietubyć, A. Ślawska-Waniewska and M. Tischer 665
A neutron inelastic scattering study of $Cu_{64}Zr_{36}$ and $Ni_{64}Zr_{36}$ metallic glasses
G.F. Syrykh, M.G. Zemlyanov and S.N. Ishmaev 671
Density of vibrational states of fractal aggregates: scalar interactions
R. Thouy, R. Jullien and C. Benoit 674
The local atomic arrangement in the amorphous As–Te–I system
K. Abe, O. Uemura, T. Usuki, Y. Kameda and M. Sakurai. 682
Short-range order in Ge–As–S–I glasses
T. Usuki, O. Uemura, S. Iwabuchi, Y. Kameda and M. Sakurai 688

A new model for tetrahedral amorphous carbon (ta-C)
J.K. Walters, K.W.R. Gilkes, J.D. Wicks and R.J. Newport 694
A Raman scattering investigation of the structure of glassy and liquid Ge_xSe_{1-x}
Y. Wang, O. Matsuda, K. Inoue, O. Yamamuro, T. Matsuo and K. Murase 702
Determination of structural properties of a K-germanate glass by optical measurements and a polarization optical test on nanocrystallinity
H.-J. Weber and M. Haselhoff 708
A resonance Raman scattering study of localized states in Ge–S glasses
M. Yamaguchi, T. Shibata and K. Tanaka 715
A neutron diffraction, isotopic substitution study of the structure of $Li_2O{\cdot}2SiO_2$ glass
J. Zhao, P.H. Gaskell, M.M. Cluckie and A.K. Soper 721

Author index 729
Subject index 736